



By **BEESSWIFT**®



**Specialized Workwear**

Safety and Protection



**BEESWIFT**  
ONLINE

Product Code:  
CARC153

Available in Sizes:  
36 - 54T

Unit of Measure:  
Each

Available in Colours:



Orange  
CARC153OR


## Beeswift ARC Compliant Hi-Vis Rail Spec Boilersuit

- Fire Retardant, Hi Vis, Anti-static, ARC Flash Orange Coverall
- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic ,40% Cotton
- 2 hip pockets
- Large bellows pocket to each leg with hook and loop closure flap
- Right leg mobile phone pocket with hook and loop closure flap
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches
- Large qualifying icons on left leg pocket
- Mandarin collar

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility – RIS-3279-TOM Issue 1
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (EBT50 = 9.3 Cal/cm2) - Open Arc testing



## Beeswift ARC Compliant Boilersuit

- Fire retardant, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN 1149-5:2008 - Anti Static - Material performance and design requirements  
 EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding  
 EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing

- Does NOT conform to EN ISO 20471



**BEESWIFT**  
ONLINE

Product Code:  
CARC6

Available in Sizes:  
38 - 54

Unit of Measure:  
Each

Available in Colours:



Navy Blue  
CARC6N

- Anti Static
- Arc Flash Protection
- Cat 3 - High Risk
- Fire Retardant
- Protection for Welding and Allied Processes






**BEESWIFT**  
ONLINE

Product Code:  
CARC7

Available in Sizes:  
38 - 54

Unit of Measure:  
Each

Available in Colours:

-  Saturn Yellow  
CARC7SY
-  Saturn Yellow / Navy  
CARC7SYN

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility
-  Protection for Welding and Allied Processes

## Beeswift ARC Compliant Hi-Vis Boilersuit

- Fire Retardant, Hi Vis, Anti-static, ARC Flash coverall.
- 300gsm 60/40 Modacrylic/cotton blend.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Triple stitch construction.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility
- EN 1149-5:2018 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1 F1) - Protection against heat and flame

ARC FLASH  
EN 61482-2:2020 - Performance requirements and design requirements  
(ELIM = 14 Cal/cm<sup>2</sup>)  
(ATPV = 17 Cal/cm<sup>2</sup>)



## Beeswift ARC Compliant Sweatshirt

- Fire Retardant, Anti-Static, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11612:2015 (A1 A2 B1 C2) - Protection against heat and flame  
EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding

ARC FLASH  
EN 61482-2:2020 (ATPV = 10 Cal/cm<sup>2</sup>, ELIM = 8.8Cal/cm<sup>2</sup>) - Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC3

Available in Sizes:  
XS - XXXXXXL

Unit of Measure:  
Each

Available in Colours:

-  Navy Blue  
CARC3N

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant





**BEESWIFT**  
ONLINE

Product Code:  
CARC56

Available in Sizes:  
S - XXXXXXL

Unit of Measure:  
Each

Available in Colours:

 Orange  
CARC56OR

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility

## Beeswift ARC Compliant Hi-Vis Rail Spec Sweatshirt

- Fire Retardant, Anti-Static, Hi-Vis Orange, ARC Flash Sweatshirt.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 260-280gsm 41% Modacrylic, 30% Polyester, 27% Cotton, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN ISO 20471 : 2013 (Class 3) - GORT 3279 2013 Issue 8  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN ISO 11612:2008 (A1 B1 C1) - Protection against heat and flame

**ARC FLASH**  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2 : (Class 1= 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (ATPV = 12.8 Cal/cm<sup>2</sup>) - Open Arc testing



## Beeswift ARC Compliant Hi Vis Sweatshirt

- Fire Retardant, Anti-Static, Hi-Vis, ARC Flash sweatshirt.
- 300gsm 60/40 Modacrylic/Cotton blend fabric.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- Ribbed cuffs.
- Ribbed waistband.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN 1149-5:2008 - Anti Static - Material performance and design requirements  
 EN ISO 11612:2015 (A1 B1 C2) - Protection against heat and flame  
 EN ISO 20471:2013 - Class 3

**ARC FLASH**  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (ATPV = 12.6 Cal/cm<sup>2</sup>) - Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC8

Available in Sizes:  
S - XXXXXXL

Unit of Measure:  
Each

Available in Colours:

 Saturn Yellow  
CARC8SY

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility





**BEESWIFT**  
ONLINE

Product Code:  
CARC28

Available in Sizes:  
ONE SIZE

Unit of Measure:  
Each

Available in Colours:

 Navy Blue  
CARC28



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant

## Beeswift ARC Compliant Balaclava

- Flame Retardant, Anti-Static, ARC Flash Balaclava hood.
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

EN ISO 13688: 2013  
 EN 1149-3: 2004  
 EN 1149-5: 2008  
 EN ISO 11612: 2015 (A1 B1 C1)  
 EN ISO 14116: 2015 (3/5H/40)

IEC 61482-2-2009  
 EN 61482-1-2-2007 (Class 1 = 4 kA) - Box Arc testing  
 EN 61482 - 1 - 1 : 2009 (EBT50 = 5.9 cAL/cm2) Open Arc testing



**BEESWIFT**

## Beeswift ARC Compliant Under Garment T-Shirt

- Flame Retardant, Anti-Static, ARC Long sleeved T- Shirt (under garment).
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

EN ISO 13688: 2013  
 EN 1149-3: 2008  
 EN 1149-5: 2015  
 EN ISO 11612: 2015 (A1 B1 C1)  
 EN ISO 14116: 2015 (3/5H/40)

IEC 61482-2-2009  
 EN 61482-1-2-2007 (Class 1 = 4 kA) - Box Arc testing  
 EN 61482 - 1 - 1 : 2009 (EBT50 = 5.9 cAL/cm2) Open Arc testing



**BEESWIFT**



**BEESWIFT**  
ONLINE

Product Code:  
CARC22

Available in Sizes:  
S - 4XL

Unit of Measure:  
Each

Available in Colours:

 Navy Blue  
CARC22



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant



**BEESWIFT**  
ONLINE

Product Code:  
CARC152

Available in Sizes:  
30 - 48T

Unit of Measure:  
Each

Available in Colours:



Orange  
CARC152OR

## Beeswift ARC Compliant Hi-Vis Rail Spec Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash orange cargo style trousers
- RIS-3279-TOM issue 1 for use on or around railway lines
- 300gsm 60% Modacrylic, 40% Cotton
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Tall leg sizes available

EN ISO 13688:2013 - General requirements for protective clothing  
 EN ISO 20471:2013 Class 2- Test method for high visibility- RIS-3279-TOM Issue 1  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN 1149-5:2008 - Anti Static - Material performance and design requirements  
 EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding  
 EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (EBT50 = 9.3 Cal/cm<sup>2</sup>) - Open Arc testing



## Beeswift ARC Compliant Under Garment Long John Trousers

- Flame Retardant, Anti-Static, ARC Long Johns (under garment).
- 210gsm 60/40 Modacrylic/ cotton with anti static.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering
- Soft comfortable fabric with contrast FR sewing thread

EN ISO 13688: 2013  
 EN 1149-3: 2008  
 EN 1149-5: 2015  
 EN ISO 11612: 2015 (A1 B1 C1)  
 EN ISO 14116: 2015 (3/5H/40)

IEC 61482-2-2009  
 EN 61482-1-2-2007 (Class 1 = 4 kA) - Box Arc testing  
 EN 61482 - 1 - 1 : 2009 (EBT50 = 5.9 cAL/cm<sup>2</sup>) Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC24

Available in Sizes:  
S - 4XL

Unit of Measure:  
Each

Available in Colours:



Navy Blue  
CARC24



Anti Static



Arc Flash Protection



Cat 3 - High Risk



Fire Retardant





**BEESWIFT**  
ONLINE


Product Code:  
CARC4

Available in Sizes:  
28 - 52


Unit of Measure:  
Each


Available in Colours:

 Navy Blue  
CARC4N

 Anti Static

 Arc Flash Protection

 Cat 3 - High Risk

 Fire Retardant

 Protection for Welding and Allied Processes

## Beeswift ARC Compliant Trousers

- Fire retardant, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Inherently flame retardant.
- Flame retardant qualities will not diminish during life of garment.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

Leg length:  
Small (S) - 29"  
Regular - 31"  
Tail (T) - 33"

EN ISO 13688:2013 - General requirements for protective clothing  
EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
EN 1149-5:2008 - Anti Static - Material performance and design requirements  
EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding  
EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing

- Does NOT conform to EN ISO 20471



## Beeswift ARC Compliant Hi-Vis Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash cargo style trousers.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Navy contrast fabric below lower hi-vis retro reflective band

• EN ISO 13688:2013 - General requirements for protective clothing  
• EN ISO 20471:2013 Class 2 - Test method for high visibility  
• EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
• EN 1149-5:2008 - Anti Static - Material performance and design requirements  
• EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding  
• EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

ARC FLASH  
IEC 61482-2:2009 - Performance requirements and design requirements  
EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC5

Available in Sizes:  
30 - 50T

Unit of Measure:  
Each


Available in Colours:


 Saturn Yellow  
CARC5SYN


 Saturn Yellow / Navy  
CARC5SYN

 Anti Static

 Arc Flash Protection

 Cat 3 - High Risk

 Fire Retardant

 Hi Visibility

 Protection for Welding and Allied Processes





**BEESWIFT**  
ONLINE

Product Code:  
CARC52OR

Available in Sizes:  
38 - 42T

Unit of Measure:  
Each

Available in Colours:

 Orange  
CARC52OR

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility
-  Protection for Welding and Allied Processes

## Beeswift ARC Compliant Hi-Vis Rail Spec Trousers

- Fire Retardant, Hi Vis, Anti-static, ARC Flash, orange cargo style trousers.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 310gsm 40% Modacrylic, 24% FR Viscose, 20% Polyester, 10% Cotton, 4% Aramid, 2% Anti-static Fibre.
- 7 belt loop part elastic waistband, double button closure.
- 2 hip pockets.
- Rear patch pocket with hook and loop closure flap.
- Large bellows pocket to each leg with hook and loop closure flap.
- Right leg mobile phone pocket with hook and loop closure flap.
- All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.
- Adjustable leg bellows.
- Tall leg sizes available.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 2 - Test method for high visibility - GORT 3279 Issue 8
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (ATPV = 16 Cal/cm2) - Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC920

Available in Sizes:  
S - 4XL

Unit of Measure:  
Each

Available in Colours:

 Navy Blue  
CARC920N

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Protection for Welding and Allied Processes

## Beeswift ARC Compliant Woven Jacket

- Fire retardant, Anti-static, ARC Flash Jacket
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 breast pockets
- 2 lower pockets
- Large qualifying icons on left arm.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN 1149-5:2008 - Anti Static - Material performance and design requirements  
 EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding  
 EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

### ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing












**BEESWIFT**  
ONLINE

Product Code:  
CARC925SYN

Available in Sizes:  
S - XXXL

Unit of Measure:  
Each

Available in Colours:  
 Saturn Yellow / Navy  
CARC925SYN

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility
-  Protection for Welding and Allied Processes

## Beeswift ARC Compliant Woven Hi-Vis Two-Tone Jacket

- Fire Retardant, Hi Vis, Anti-static, ARC Flash Jacket.
- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 Lower pockets.
- Large qualifying icons on left arm.

- EN ISO 13688:2013 - General requirements for protective clothing
- EN ISO 20471:2013 Class 3 - Test method for high visibility
- EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay
- EN 1149-5:2008 - Anti Static - Material performance and design requirements
- EN ISO 11611:2015 (Class 1 A1 A2) - Protective clothing for use in welding
- EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

**ARC FLASH**  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm<sup>2</sup>) - Open Arc testing



## Beeswift ARC Compliant Polo Shirt

- Flame Retardant, Anti-Static, ARC long sleeved polo shirt.
- 210gsm 60/40 Modacrylic/cotton blend Pique fabric.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay  
 EN 1149-5:2008 - Anti Static - Material performance and design requirements  
 EN ISO 11612:2015 (A1 A2 B1 C1) - Protection against heat and flame

**ARC FLASH**  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing  
 EN 61482-1-1:2009 (EBT50 = 5.0 Cal/cm<sup>2</sup>) - Open Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC1

Available in Sizes:  
S - XXXXXXL

Unit of Measure:  
Each

Available in Colours:  
 Navy Blue  
CARC1N

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant





**BEESWIFT**  
ONLINE

Product Code:  
CARC12SY

Available in Sizes:  
S - 5XL

Unit of Measure:  
Each

Available in Colours:

 Saturn Yellow  
CARC12SY

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility

## Beeswift ARC Compliant Hi-Vis Anti-Static Polo Shirt

- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- 210gsm single jersey 60/40 Modacrylic/cotton with anti static.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN ISO 11612:2015 (A1 A2 B1 C1)  
 EN ISO 20471:2013 (CLASS 3)  
 EN 1149-3:2004 - Anti Static - Test methods for performance of charge decay  
 EN 1149-5:2008 - Anti Static - Protection against heat and flame

ARC FLASH  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-1:2009 (ATPV = 6.8 Cal/cm2) - Open Arc testing



## Beeswift ARC Compliant Rail Spec Polo Shirt

- Fire Retardant, Hi-Vis, Anti-Static, ARC Flash long sleeved polo shirt.
- GO/RT 3279 issue 8 2013 for use on or around railway lines.
- 220gsm 66% Modacrylic, 32% Polyester, 2% Carbon.
- Inherently flame retardant.
- Fire Retardant properties will not diminish with repeated laundering.
- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- 3 Button placket.
- Ribbed cuffs.
- Very robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing  
 EN ISO 11612:2015 (A1 B1 C1)  
 EN ISO 20471:2013 (CLASS 3) - GORT 3279 2013 Issue 8  
 EN 1149-3:2004 - Anti Static - Test methods for performance of charge decay  
 EN 1149-5:2008 - Anti Static - Protection against heat and flame

ARC FLASH  
 IEC 61482-2:2009 - Performance requirements and design requirements  
 EN 61482-1-1:2009 (ATPV = 6.2 Cal/cm2) - Open Arc testing  
 EN 61482-1-2:2007 (CLASS 1 = 4kA) - Box Arc testing



**BEESWIFT**  
ONLINE

Product Code:  
CARC51

Available in Sizes:  
S - XXXXL

Unit of Measure:  
Each

Available in Colours:

 Orange  
CARC51OR

-  Anti Static
-  Arc Flash Protection
-  Cat 3 - High Risk
-  Fire Retardant
-  Hi Visibility



TRADE MARKED AND COPYRIGHT© PROTECTED. ALL RIGHTS RESERVED 2005  
[www.clickalogue.com](http://www.clickalogue.com)

All Click Logos, 'Clickalogue', 'Click'  
Trademarked to: P.O. Box 13636, West Bromwich, B70 1BQ



Your local   Distributor